



GW05 Cross Reference Charts

FLYGT Unit Type Model Version	GWSEAL Alternative Upper(inner)	Size	GWSEAL Alternative Lower(outer)	Size
600	GW05Q	60mm	GW05Q	60mm
605	GW05S	90mm	GW05S	80mm
615	GW05S	90mm	GW05S	80mm
665	GW05S	90mm	GW05S	80mm
670	GW05S	90mm	GW05S	80mm
680	GW05S	90mm	GW05S	80mm
705	GW05S	90mm	GW05S	80mm
705	GW05S	90mm	GW05T	120mm
705	GW05S	90mm	GW05U	90mm
715	GW05S	90mm	GW05S	80mm
715	GW05S	90mm	GW05T	120mm
715	GW05S	90mm	GW05U	90mm
720	GW05S	90mm	GW05S	80mm
720	GW05S	90mm	GW05T	120mm
720	GW05S	90mm	GW05U	90mm
721	GW05S	90mm	GW05S	80mm
721	GW05S	90mm	GW05T	120mm
721	GW05S	90mm	GW05U	90mm
735	GW05S	90mm	GW05S	80mm
735	GW05S	90mm	GW05T	120mm
735	GW05S	90mm	GW05U	90mm
745	GW05S	90mm	GW05S	80mm
745	GW05S	90mm	GW05T	120mm
745	GW05S	90mm	GW05U	90mm
760	GW05S	90mm	GW05S	80mm
760	GW05S	90mm	GW05T	120mm
760	GW05S	90mm	GW05U	90mm
765	GW05S	90mm	GW05S	80mm
765	GW05S	90mm	GW05T	120mm
765	GW05S	90mm	GW05U	90mm
770	GW05S	90mm	GW05S	80mm
770	GW05S	90mm	GW05T	120mm
770	GW05S	90mm	GW05U	90mm
775	GW05S	90mm	GW05S	80mm
775	GW05S	90mm	GW05T	120mm
775	GW05S	90mm	GW05U	90mm
805			GW05T	120mm
820	GW05S	90mm	GW05S	80mm
820	GW05S	90mm	GW05T	120mm
820	GW05S	90mm	GW05U	90mm
835			GW05T	120mm
840	GW05S	90mm	GW05S	80mm
840	GW05S	90mm	GW05T	120mm
840	GW05S	90mm	GW05U	90mm
841	GW05S	90mm	GW05S	80mm
841	GW05S	90mm	GW05T	120mm
841	GW05S	90mm	GW05U	90mm
860	GW05S	90mm	GW05S	80mm
860	GW05S	90mm	GW05T	120mm
860	GW05S	90mm	GW05U	90mm
865			GW05T	120mm
880	GW05S	90mm	GW05S	80mm
880	GW05S	90mm	GW05T	120mm
880	GW05S	90mm	GW05U	90mm

FLYGT Unit Type Model Version	GWSEAL Alternative Upper(inner)	Size	GWSEAL Alternative Lower(outer)	Size
881	GW05S	90mm	GW05S	80mm
881	GW05S	90mm	GW05T	120mm
881	GW05S	90mm	GW05U	90mm
900	GW05S	90mm	GW05S	80mm
900	GW05S	90mm	GW05T	120mm
900	GW05S	90mm	GW05U	90mm
905			GW05T	120mm
935			GW05T	120mm
2004	GW05D	15mm	N/A	
2008	GW05D	15mm	N/A	
2012	GW05D	15mm	N/A	
2016	GW05D	15mm	N/A	
2024	GW05A	20mm	GW05A	20mm
2040	GW05C or GW05F	22mm	GW05C or GW05F	22mm
2050	GW05D	15mm	N/A	
2052	GW05D	15mm	N/A	
2060	GW05G	20mm	GW05G	20mm
2066	GW05A	20mm	GW05A	20mm
2070	GW05E	22mm	GW05E	22mm
2071	GW05F	22mm	GW05F	22mm
2075	GW05A	20mm	GW05A	20mm
2082	GW05I	28mm	GW05I	28mm
2084	GW05K	35mm	GW05L	35mm
2090	GW05I	28mm	GW05I	28mm
2101	GW05A	20mm	GW05A	20mm
2102-210	GW05C or GW05F	22mm	GW05C or GW05F	22mm
2102-040	GW05E	22mm	GW05E	22mm
2102-041	GW05C or GW05F	22mm	GW05C or GW05F	22mm
2102-220	GW05C or GW05F	22mm	GW05C or GW05F	22mm
2125	GW05I	28mm	GW05I	28mm
2135	GW05K	35mm	GW05L	35mm
2140	GW05I	28mm	GW05I	28mm
2151-010	GW05K	35mm	GW05K	35mm
2151-011	GW05K	35mm	GW05L	35mm
2151-050	GW05K	35mm	GW05L	35mm
2201-430	GW05N	45mm	GW05N	35mm
2201-320	GW05N	45mm	GW05N	35mm
2201-010	GW05O	45mm	GW05K	35mm
2201-011 HT	GW05O	45mm	GW05N	35mm
2201-011 LT	GW05O	45mm	GW05O	45mm
2201-011 MT	GW05O	45mm	GW05N	35mm
2201-480	GW05N	45mm	GW05N	35mm
2201-590	GW05N	45mm	GW05N	35mm
2201-690	GW05N	45mm	GW05N	35mm
2250	GW05P	60mm	GW05P	60mm
2290	GW05P	60mm	GW05P	60mm
2400	GW05R	60mm	GW05R	60mm
2540			GW05R	60mm
3041-171	GW05G	20mm	GW05G or GW05H	20mm
3041-180	GW05G	20mm	GW05G or GW05H	20mm
3041-281	GW05G	20mm	GW05G	20mm
3057	GW05G	20mm	GW05G or GW05H	20mm
3060	GW05G	20mm	GW05G	20mm
3065	GW05A Lower	20mm	GW05A	20mm

Seal Coding System

GW05M - U2U2P - 35 - L

Position
Size Code
Elastomer Material
Seat Material
Rotary Material
Seal Type

EXAMPLES

Seal Code **GW05A - BFP - 22 - U**

Seal Type Material Code Size Code Position
GW05A **B** - Carbon(Rotary) **22** =22mm **U** =Upper Seal
F - Stainless Steel Seat
P - Nitrile

Seal Code **GW05P - BU2P - 60 - U**

Seal Type Material Code Size Code Position
GW05P **B** - Carbon(Rotary) **60** =60mm **U** =Upper Seal
U2 - Tungsten Carbide Seat
P - Nitrile

Seal Code **GW05T - U2U2P - 120 - L**

Seal Type Material Code Size Code Position
GW05T **U2** - Tungsten Carbide Rotary **120** =120mm **L** =Lower Seal
U2 - Tungsten Carbide Seat
P - Nitrile

MATERIAL CODE (Rotary & Seat)	MATERIAL CODE (Elastomer)	SIZE CODE	POSITION
B=Carbon	P=Nitrile	35=35mm	L=Lower
Q2=Silicon Carbide			U=Upper
F=Stainless Steel			
U2=Tungsten Carbide			




GW05 Cross Reference Charts

FLYGT Unit Type Model Version	GWSEAL Alternative Upper(inner)	Size	GWSEAL Alternative Lower(outer)	Size
3066	GW05G	20mm	GW05GorGW05H	20mm
3067-890	GW05G	20mm	GW05GorGW05H	20mm
3067-690	GW05G	20mm	GW05GorGW05H	20mm
3067-590	GW05G	20mm	GW05GorGW05H	20mm
3067-250	GW05G	20mm	GW05G	20mm
3067-170	GW05G	20mm	GW05G	20mm
3067-090	GW05G	20mm	GW05GorGW05H	20mm
3067-180	GW05G	20mm	GW05GorGW05H	20mm
3068	GW05G	20mm	GW05G	20mm
3080	GW05A	20mm	GW05A	20mm
3082	GW05E	20mm	GW05E	22mm
3085-290	GW05G	20mm	GW05H	20mm
3085-280	GW05G	20mm	GW05H	20mm
3085-091	GW05G	20mm	GW05G	20mm
3085-092	GW05G	20mm	GW05GorGW05H	20mm
3085-120	GW05G	20mm	GW05GorGW05H	20mm
3085-170	GW05G	20mm	GW05GorGW05H	20mm
3085-171	GW05G	20mm	GW05GorGW05H	20mm
3085-172	GW05G	20mm	GW05GorGW05H	20mm
3085-180	GW05G	20mm	GW05GorGW05H	20mm
3085-181	GW05G	20mm	GW05GorGW05H	20mm
3085-182	GW05G	20mm	GW05GorGW05H	20mm
3085-890	GW05G	20mm	GW05G	20mm
3085-891	GW05G	20mm	GW05GorGW05H	20mm
3101	GW05B	28mm	GW05B	28mm
3102	GW05J	25mm	GW05J	25mm
3126-290	GW05K	35mm	GW05M	35mm
3126-280	GW05K	35mm	GW05M	35mm
3126-181	GW05M	35mm	GW05M	35mm
3126-090	GW05K	35mm	GW05K	35mm
3126-091	GW05K	35mm	GW05M	35mm
3126-180	GW05K	35mm	GW05K	35mm
3127	GW05M	35mm	GW05M	35mm
3140	GW05O	45mm	GW05O	45mm
3152	GW05O	45mm	GW05O	45mm
3170	GW05Q	60mm	GW05Q	60mm
3200	GW05P	60mm	GW05P	60mm
3201	GW05Q	60mm	GW05Q	60mm
3230	GW05S	90mm	GW05S	80mm
3300-091	GW05S	90mm	GW05S	80mm
3300-181	GW05S	90mm	GW05S	80mm
3300-280	GW05S	90mm	GW05S	80mm
3300-980	GW05S	90mm	GW05S	80mm
3305	GW05S	90mm	GW05S	80mm
3310	GW05S	90mm	GW05T	120mm
3311	GW05S	90mm	GW05T	120mm
3312	GW05S	90mm	GW05T	120mm
3350	GW05S	90mm	GW05T	120mm
3351	GW05S	90mm	GW05T	120mm
3355	GW05S	90mm	GW05S	80mm
3356	GW05S	90mm	GW05S	80mm
3357	GW05S	90mm	GW05S	80mm
3400	GW05S	90mm	GW05U	90mm
3500	GW05S	90mm	GW05T	120mm

FLYGT Unit Type Model Version	GWSEAL Alternative Upper(inner)	Size	GWSEAL Alternative Lower(outer)	Size
3501	GW05S	90mm	GW05T	120mm
3530	GW05S	90mm	GW05T	120mm
3531	GW05S	90mm	GW05T	120mm
3600	GW05S	90mm	GW05T	120mm
3601	GW05S	90mm	GW05T	120mm
3602	GW05S	90mm	GW05T	120mm
4351	GW05G	20mm	GW05H	20mm
4352	GW05G	20mm	GW05H	20mm
4400	GW05G	20mm	GW05H	20mm
4410	N/A		GW05Q	60mm
4430	N/A		GW05Q	60mm
4440	GW05M	35mm	GW05M	35mm
4650	GW05O	45mm	GW05O	45mm
4660	GW05O	45mm	GW05O	45mm
4670	GW05Q	60mm	GW05Q	60mm
4680	GW05Q	60mm	GW05Q	60mm
5100	GW05O	45mm		
5520			GW05J	25mm
5530	GW05M	35mm	GW05M	35mm
5540	GW05O	45mm		
5550	GW05Q	60mm		
5560	GW05S	90mm		
7045	GW05Q	60mm	GW05Q	60mm
7050	GW05S	90mm	GW05S	80mm
7051	GW05S	90mm	GW05S	80mm
7055	GW05S	90mm	GW05S	80mm
7060	GW05S	90mm	GW05S	80mm
7061	GW05S	90mm	GW05S	80mm
7076	GW05S	90mm	GW05S	80mm
7080	GW05S	90mm	GW05S	80mm
7080	GW05S	90mm	GW05T	120mm
7081	GW05S	90mm	GW05U	90mm
7101	GW05S	90mm	GW05U	90mm
7115	GW05S	90mm	GW05T	120mm
7556	GW05S	90mm	GW05S	80mm
7570	GW05S	90mm	GW05T	120mm
7585	GW05S	90mm	GW05T	120mm
Ready 4	GW05D	15mm	N/A	
Ready 8	GW05D	15mm	N/A	
Ready 12	GW05D	15mm	N/A	
Ready 16	GW05D	15mm	N/A	
Ready 24	GW05A	20mm	GW05A	20mm
Ready 40	GW05CorGW05F	22mm	GW05CorGW05F	22mm
Ready 56	GW05CorGW05F	22mm	GW05CorGW05F	22mm
Ready 90	GW05I	28mm	GW05I	28mm
Ready 7	GW05G	20mm	GW05G	20mm

Grindex Pump	GWSEAL Alternative Upper(inner)		GWSEAL Alternative Lower(outer)
Maxi	GW05O		GW05N
All other pumps	GW05Z		GW05Z


GW05A



GW05A seal instead of AES T05A seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No plastic parts
- Unitised rotary,no loose faces to fall out during installation


GW05A - F



GW05A-F seal instead of original Flygt seal used for Flygt pump no: 2024/2066/2075/2101/3065/3080/Ready 24

- Monolithic stationary faces
- Supplied with removable setting clip


GW05B



GW05B seal instead of AES T05B seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No plastic parts
- Unitised rotary,no loose faces to fall out during installation

GW05B - F




GW05B-F seal instead of original Flygt seal used for Flygt pump no: 3101

- Monolithic stationary faces
- Supplied with removable setting clip




GW05C



GW05C seal instead of AES T05C seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- Unitised rotary,no loose faces to fall out during installation
- Monolithic stationary faces


GW05C - F



GW05C-F seal instead of original Flygt seal used for Flygt pump no:2040/2102-210/2102-041/2102-220/Ready 40/Ready 56

- Seats designed to replace original seat&wear protector
- Supplied with removable setting clip
- No plastic parts


GW05E



GW05E seal instead of AES T05E seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No plastic parts
- Unitised rotary,no loose faces to fall out during installation


GW05E - F



GW05E-F seal instead of original Flygt seal used for Flygt pump no: 2070/2102-040/3082

- Monolithic stationary faces
- Supplied with removable setting clip


GW05D



GW05D seal instead of AES T05D seal


- Enclosed Bellows rotary design
- Stainless Steel metal parts
- Monolithic stationary faces
- Supplied with setting collar

GW05D - F



GW05D-F seal instead of original Flygt seal used for Flygt pump no: 2004/2008/2012/2016/2050/2052/Ready 4/Ready 8/Ready 12/Ready 16


GW05F



GW05F seal instead of AES T05F seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No plastic parts
- Unitised rotary,no loose faces to fall out during installation

GW05F - F




GW05F-F seal instead of original Flygt seal used for Flygt pump no: 2040/2071/2102-210/2102-041/2102-220/Ready 40/Ready 56


- Monolithic stationary faces
- Supplied with removable setting clip



GW05G - F(E)




GW05G - F(L)




GW05G-F(E) seal and GW05G-F(L) seal instead of original Flygt seal used for Flygt pump no: 2060/3041-171/3041-180/3041-281/3057/3060/3066/3067-890/3067-690/3067-590/3067-250/3067-170/3067-090/3067-180/3068/3085-091/3085-092/3085-120/3085-170/3085-171/3085-172/3085-180/3085-181/3085-182/3085-890/3085-891/Steady 7

GW05GH - F(E)




GW05GH - F(L)




GW05GH-F(E) seal and GW05GH-F(L) seal instead of original Flygt seal used for Flygt pump no: 3041-171/3041-180/3057/3066/3067-890/3067-690/3067-590/3067-090/3067-180/3085-290/3085-280/3085-092/3085-120/3085-170/3085-171/3085-172/3085-180/3085-181/3085-182/3085-891/4351/4352/4400

GW05G



- GW05G seal instead of AES T05G seal**
- Robust&compact rotary design
 - Grub/set screwed(Allen Key included)
 - Stainless Steel metal parts
 - No plastic parts
 - Monolithic stationary faces
 - Supplied with removable setting clip
 - No special fitting tool required


GW05GH




- GW05GH seal instead of AES T05GH seal**
- Robust&compact rotary design
 - Grub/set screwed(Allen Key included)
 - Stainless Steel metal parts
 - No plastic parts
 - Monolithic stationary faces
 - Supplied with removable setting clip
 - No special fitting tool required



GW05I - F(E)




GW05I - F(L)




GW05I-F(E) seal and GW05I-F(L) seal instead of original Flygt seal used for Flygt pump no: 2082/2090/2125/2140/Ready 90

GW05J - F(E)




GW05J - F(L)




GW05J-F(E) seal and GW05J-F(L) seal instead of original Flygt seal used for Flygt pump no: 3102

GW05I



- GW05I seal instead of AES T05I seal**
- Robust&compact rotary design
 - Grub/set screwed(Allen Key included)
 - Stainless Steel metal parts
 - No plastic parts
 - Unitised rotary,no loose faces to fall out during installation
 - Monolithic stationary faces
 - Boot mounted seats for improved sealing in worn or corroded housings
 - Supplied with removable setting clip


GW05J



- GW05J seal instead of AES T05J seal**
- Robust&compact rotary design
 - Grub/set screwed(Allen Key included)
 - Stainless Steel metal parts
 - No plastic parts
 - Monolithic stationary faces
 - Boot mounted seats for improved sealing in worn or corroded housings
 - Supplied with removable setting clip
 - No special fitting tool required




GW05K




- GW05K seal instead of AES T05K seal**
- Robust&compact rotary design
 - Grub/set screwed(Allen Key included)
 - Stainless Steel metal parts
 - No plastic parts
 - Unitised rotary,no loose faces to fall out during installation
 - Monolithic stationary faces

GW05KL




- GW05KL seal instead of AES T05KL seal**
- Robust&compact rotary design
 - Grub/set screwed(Allen Key included)
 - Stainless Steel metal parts
 - Unitised rotary,no loose faces to fall out during installation
 - No plastic parts
 - Monolithic stationary faces

GW05K - F




- GW05K-F seal instead of original Flygt seal used for Flygt pump no: 2151-010/3126-090/3126-180**
- Boot mounted seats for improved sealing in worn or corroded housings
 - Stainless Steel metal parts
 - No pressed steel parts
 - Monolithic stationary faces

GW05KL - F




- GW05KL-F seal instead of original Flygt seal used for Flygt pump no:2084/ 2135/2151-011/2151-050**
- Boot mounted seats for improved sealing in worn or corroded housings
 - Supplied with removable setting clip

GW05M - F(E)




GW05M-F(E) seal and GW05M-F(L) seal instead of original Flygt seal used for Flygt pump no: 3126-181/3127/4440/5530

GW05M - F(L)




GW05M



- GW05M seal instead of AES T05M seal**
- Robust&compact rotary design
 - Grub/set screwed(Allen Key included)
 - Stainless Steel metal parts
 - No plastic parts
 - Monolithic stationary faces
 - Boot mounted seats for improved sealing in worn or corroded housings
 - Supplied with removable setting clip
 - No special fitting tool required




GW05N - F(E)




GW05N-F(E) seal and GW05N-F(L) seal instead of original Flygt seal used for Flygt pump no:2201-430/2201-320/2201-480/2201-590/2201-690

GW05N - F(L)




GW050



GW050 seal instead of AES T050 seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No plastic parts
- Monolithic stationary faces
- Supplied with removable setting clip


GW050 - F



GW050-F seal instead of original Flygt seal used for Flygt pump no:2201-011 LT/3140/3152/4650/4660

- Unitised rotary,no loose faces to fall out during installation
- Stainless Steel metal parts
- No pressed steel parts
- Monolithic seal faces


GW05N



GW05N seal instead of AES T05N seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No plastic parts
- Unitised rotary,no loose faces to fall out during installation
- Supplied with removable setting clip(Upper)


GW05P



GW05P seal instead of AES T05P seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No pressed steel parts
- Monolithic stationary faces(Upper)

GW05P - F




GW05P-F seal instead of original Flygt seal used for Flygt pump no:2250/2290/3200

- Boot mounted seats for improved sealing in worn or corroded housings(Upper)
- Supplied with removable setting clip




GW05Q



GW05Q seal instead of AES T05Q seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No pressed steel parts
- Monolithic stationary faces
- Boot mounted seats for improved sealing in worn or corroded housings


GW05R



GW05Rseal instead of AES T05R seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No pressed steel parts
- Fully machined impeller
- Monolithic stationary faces


GW05Q - F



GW05Q-F seal instead of original Flygt seal used for Flygt pump no:600/3170/3201/4670/4680/7045

- Supplied with removable setting clip
- Stainless Steel metal parts
- Monolithic seal faces


GW05R - F



GW05R-F seal instead of original Flygt seal used for Flygt pump no:2400


- Boot mounted seats for improved sealing in worn or corroded housings
- Supplied with removable setting clip
- Stainless Steel metal parts
- Monolithic seal faces

GW05S - F(E)




GW05S-F(E) seal and GW05S-F(L) seal instead of original Flygt seal used for Flygt pump no:605/615/665/670/680/705/715/720/721/735/745/760/765/770/775/820/840/841/860/880/881/900/3230/3300-091/3300-181/3300-280/3300-980/3305/3355/3356/3357/7050/7051/7055/7060/7061/7076/70807556

GW05S



GW05S - F(L)




GW05S seal instead of AES T05S seal


- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No pressed steel parts
- No plastic parts
- Unitised rotary,no loose faces to fall out during installation
- Monolithic stationary faces



GW05ST - F(E)




GW05ST - F(L)




GW05ST-F(E) seal and GW05ST-F(L) seal instead of original Flygt seal used for Flygt pump no:705/715/720/721/735/745/760/765/770/775/820/840/841/860/880/881/900/3310/3311/3312/3350/3351/3500/3501/3530/3531/3600/3601/3602/7080/7115/7570/7585

GW05SU - F(E)




GW05SU - F(L)



GW05SU-F(E) seal and GW05SU-F(L) seal instead of original Flygt seal used for Flygt pump no:705/715/720/721/735/745/760/765/770/775/820/840/841/860/880/881/900/3400/7081/7101


GW05ST



GW05ST seal instead of AES T05ST seal

- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No pressed steel parts
- No plastic parts
- Unitised rotary,no loose faces to fall out during installation
- Monolithic stationary faces

GW05SU




GW05SU seal instead of AES T05SU seal


- Robust&compact rotary design
- Grub/set screwed(Allen Key included)
- Stainless Steel metal parts
- No pressed steel parts
- No plastic parts
- Unitised rotary,no loose faces to fall out during installation



GW05Z - F(E)



GW05Z - F(L)



Flygt Plug-In Cartridge Seal

GW CODE	AES CODE	Size	FLYGT PUMP CODE
GW05VC-020	N-T05VC-020	20MM	2610,2620,2630,2640,4610 & 4620
GW05VC-025	N-T05VC-025	25MM	4630&4640
GW05VC-035	N-T05VC-035	35MM	2670,3153,5100,,210, 5100.220
GW05VC-045	N-T05VC-045	45MM	3,137,465,046,605,100.00
GW05VC-060	N-T05VC-060	60MM	3202.4670,4680,5100.300,5150.300
GW05VC-090	N-T05VC-090	90MM	3301,5150.350 & 5150.360

GW05Z-F(E) seal and GW05SU-F(L) seal instead of original Flygt seal used for Flygt pump no:All other pumps

GW05VC-020



GW05VC-025



GW05VC-035



GW05VC-045




GW05VC-060



GW05VC-090



GW05Z



- GW05Z seal instead of AES T05Z seal
- Simple&compact rotary design
 - Stainless Steel metal parts
 - Monolithic stationary faces
 - Unitised rotary,no loose faces to fall out during installation